

数量総括表

工 事 名	(路4-8)路面復旧工事				事 業 区 分					
					工 事 区 分					
工事区分(1)	工種 (2)	種別 (3)	細 別 (4)	規 格 (5)	単位	実施数量	計上数量	変更数量	計上数量	摘 要
舗装										
舗装工										
舗装準備工										
不陸整正				補足材M-30 t=3cm 平均幅員W>3.0m	m2	3045.9	3050			2232.06+426.15+37.5 2+328.52+21.64
不陸整正				補足材M-30 t=3cm 平均幅員1.4m≦W≦3.0m	m2	50.8	51			
アスファルト舗装工										
表層(車道・路肩部)				再生密粒度As(13) t=5cm 平均幅員W>3.0m	m2	3045.9	3050			2232.06+426.15+37.5 2+328.52+21.64
表層(歩道部)				再生密粒度As(13) t=3cm平均幅員1.4m≦W≦3.0m	m2	50.8	51			
コンクリート舗装工										
コンクリート舗装				18N/mm2 t=15cm	m2	10.5	11			
コンクリート				18N/mm2 t=15cm	m3/m2	0.15				
溶接金網				φ 6#150×150	m2/m2	1.0				
路盤紙				クラフト紙系	m2/m2	1.0				
区画線工										
区画線工										
溶融式区画線				実線 白 W=15cm	m	196.0	200			23.25+35+14.6+123.15
溶融式区画線				実線 黄 W=15cm	m	14.0	14			11.20+2.80
溶融式区画線				ゼブラ 白 W=45cm	m	36.8	37			3.6+2.6+30.6
溶融式区画線				文字等 白 15cm換算	m	23.7	24			18.34+5.35
構造物撤去工										
構造物取壊し工										
舗装版切断				As舗装版 t≦15cm	m	290.4	290			140.35+36.55+14.9+8 7.25+11.3
舗装版切断				Co舗装版 t≦15cm	m	3.3	3			
舗装版破砕				As舗装版 t≦15cm 平均幅員W>3.0m	m2	3045.9	3050			2232.06+426.15+37.5 2+328.52+21.64
舗装版破砕				As舗装版 t≦15cm 平均幅員1.4m≦W≦3.0m	m2	50.8	51			
舗装版破砕				Co舗装版 t≦15cm 平均幅員W>3.0m	m2	10.5	11			

工事区分(1)	工種 (2)	種別 (3)	細 別 (4)	規 格 (5)	単位	実施数量	計上数量	変更数量	計上数量	摘 要
			運搬処理工							
			殻運搬	As舗装版殻 平均幅員W>3.0m	m3	152.3	152			111.60+21.31+1.88+16.43+1.08
			殻運搬	As舗装版殻 平均幅員1.4m≦W≦3.0m	m3	1.5	2			
			殻運搬	Co舗装版殻 平均幅員W>3.0m	m3	1.6	2			
			濁水運搬	As,Co舗装版濁水	式	1.0	1			
			殻処分	As舗装版殻	m3	153.8	154			152.3+1.5
			殻処分	Co舗装版殻	m3	1.6	2			
			濁水処分	As舗装版濁水	m3	0.330	0.33			0.16+0.04+0.02+0.10+0.01
			濁水処分	Co舗装版濁水	m3	0.01	0.01			
			付帯工							
			付帯工							
			付帯工		式	1.0	1			
			基準点設置工	金属鈹	点	9.0	9			5+4
			道路付属物設置工	車線分離標 可変式 φ 100 H=0.80m	本	7.0	7			
			道路付属物撤去	車線分離標 可変式 φ 100 H=0.80m	本	7.0	7			
			仮設工							
			交通管理工							
			交通誘導警備員		式	1.0	1			

数量総括表

[illegible]

舗装工計算書

[illegible]

舗装工計算書

[illegible]

舗装工計算書

[illegible]

舗装工計算書

[illegible]

舗装工計算書

測点 (路線1-1)	単距離	表層工 再生密粒度ASC				控除面積 マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
①三斜求積			4.00						
②三斜求積			29.86						
③三斜求積			12.51						
④三斜求積			1.72						
⑤三斜求積			0.95						
⑥三斜求積			3.60						
⑦三斜求積			1.88						
⑧三斜求積			1.88						
⑨三斜求積			19.71						
⑩三斜求積			26.60						
⑪三斜求積			13.19						
⑫三斜求積			8.44						
⑬三斜求積			18.50						
⑭三斜求積			7.59						
⑮三斜求積			13.21						
⑯三斜求積			5.73						
合計	m 296.40		m2 807.35				m2 2.38	舗装合計（控除済） 804.97	

舗装工計算書

測点 (路線1-1)	単距離	コンクリート (18-8-25)				控除面積 マンホール等			
	(m)	巾(m)	面積(m ²)			名称	(1箇所) 面積(m ²)		
⑰三斜求積			10.58			止水栓 φ160*2	(0.02) 0.04		
合計	m	m ² 10.58				m ² 0.04		舗装合計(控除済) 10.54	

舗装工計算書

測 点 (路線1-2)	単距離	表層工 再生密粒度ASC				控除面積 マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
BP2	0.00					止水弁 φ370*1	0.11		
+1.40	1.40	2.80	① 三斜求積						
NO.1	18.60	2.80	52.08						
+5.25	5.25	2.90	14.96						
+5.85	0.60	2.95	1.76						
EP2 (+7.95)	2.10	3.70	6.98						
①三斜求積			4.69						
合計	m 27.95	m2 80.47				m2 0.11	舗装合計(控除済) 80.36		

舗装工計算書

[illegible]

舗装工計算書

[illegible]

舗装工計算書

[illegible]

舗装工計算書

[illegible]

舗装工計算書

測点 (路線1-3)	単距離	表層工				控除面積			
		再生密粒度ASC				マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
①三斜求積			23.19						
②三斜求積			9.48						
③三斜求積			5.47						
④三斜求積			4.60						
⑤三斜求積			4.60						
⑥三斜求積			20.36						
⑦三斜求積			5.28						
⑧三斜求積			1.91						
⑨三斜求積			0.39						
⑩三斜求積			15.24						
⑪三斜求積			6.13						
⑫三斜求積			0.25						
⑬三斜求積			1.32						
⑭三斜求積			53.64						
⑮三斜求積			17.15						
⑯三斜求積			24.45						
⑰三斜求積			6.67						
⑱三斜求積			4.37						
合計	m 264.15	m2 771.87				m2 1.37		舗装合計（控除済） 770.50	

舗装工計算書

[illegible]

舗装工計算書

測点 (路線1-4)	単距離	表層工 再生密粒度ASC				控除面積 マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
①三斜求積			111.65						
②三斜求積			6.80						
③三斜求積			5.31						
④三斜求積			35.18						
合計	m 127.65	m2 576.77				m2 0.54		舗装合計（控除済） 576.23	

舗装版切断工数量計算書

工 種	規 格	数 量	摘 要
路線1	アスファルト版 (t =5cm)		
①		2.55	
②		2.25	
③		4.20	
④		5.15	
⑤		2.35	
⑥		1.30	
⑦		9.80	
⑧		2.30	
⑨		2.15	
⑩		3.70	
⑪		2.40	
⑫		63.55	
⑬		14.00	
⑭		3.15	
⑮		2.30	
⑯		2.30	
⑰		2.00	
⑱		3.75	
⑲		4.60	
⑳		6.55	
	合計	140.35 m	
濁水運搬処理工	濁水運搬処理工 (アスファルト版)		
	(140.35*0.05) *0.023	0.16 m ³	
	コンクリート版 (t =15cm)	3.25	
①	合計	3.25 m	
濁水運搬処理工	濁水運搬処理工 (コンクリート版)		
	(3.25*0.15) *0.023	0.01 m ³	

区画線工数量計算書

[illegible]

付帯工数量計算書

[illegible]

数量總括表

[illegible]

舗装工計算書

測点 (路線2)	単距離	表層工 再生密粒度ASC				控除面積 マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
BP	0.00	0.00				仕切弁 φ 370*1	0.11		
+15.45	15.45	4.40	① 三斜求積			消火栓 φ 520*1	0.21		
+15.90	0.45	4.35	1.97			止水栓 φ 160*2	(0.02) 0.04		
+17.15	1.25	4.20	5.34			スリース φ 230*1	0.04		
+18.25	1.10	4.05	4.54						
NO. 1	1.75	4.00	7.04						
+14.95	14.95	3.55	56.44						
+16.00	1.05	3.85	3.89						
+17.65	1.65	4.20	6.64						
NO. 2	2.35	4.05	9.69						
+3.65	3.65	3.85	14.42						
NO. 3	16.35	3.80	62.54						
+4.50	4.50	3.80	17.10						
+4.50	0.00	3.90	0.00						
+11.00	6.50	3.60	24.38						
+18.60	7.60	3.85	28.31						
+19.50	0.90	3.90	3.49						
NO. 4	0.50	4.05	1.99						
+4.15	4.15	5.05	18.88						
+5.95	1.80	5.35	9.36						
+13.00	7.05	7.20	44.24						
EP (+17.35)	4.35	0.00	② 三斜求積						
①三斜求積			74.51						
②三斜求積			31.78						
合計	m 97.35	m2 426.55				m2 0.40		舗装合計 (控除済) 426.15	

鋪裝版切断工数量計算書

[illegible]

区画線工数量計算書

[illegible]

付帯工数量計算書

[illegible]

数量總括表

[illegible]

鋪装工計算書

測点 (路線3)	単距離	表層工				控除面積			
		再生密粒度ASC				マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
①三斜求積			18.51						
②三斜求積			19.01						
合計	m 0.00		m2 37.52				m2 0.00	舗装合計(控除済) 37.52	

鋪裝版切断工数量計算書

[illegible]

区画線工数量計算書

[illegible]

数量総括表

[illegible]

舗装工計算書

測点 (路線4)	単距離	表層工(車道) 再生密粒度ASC				控除面積 マンホール等			
		(m)	巾(m)	面積(m2)		名称	(1箇所) 面積(m2)		
BP	0.00	6.95				仕切弁 φ 370*5	(0.11) 0.55		
+2.20	2.20	6.90	15.24			仕切弁 φ 450*2	(0.16) 0.32		
+11.55	9.35	6.75	63.81			仕切弁 φ 500*1	0.20		
NO. 1	8.45	6.75	57.04			仕切弁 600*600	0.36		
+5.75	5.75	6.75	38.81			空気弁 φ 520*1	0.21		
+5.75	0.00	3.80	0.00						
+15.80	10.05	3.85	38.44						
+19.80	4.00	3.80	15.30						
NO. 2	0.20	3.80	0.76						
NO. 2	0.00	3.40	0.00						
EP (+1.45)	1.45	3.45	4.97						
①三斜求積			31.80						
②三斜求積			23.90						
③三斜求積			40.09						
合計	m 41.45	m2 330.16				m2 1.64		舗装合計 (控除済) 328.52	

鋪装工計算書

測点 (路線4)	単距離	表層工(歩道)				控除面積			
		再生密粒度ASC				マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
④三斜求積			42.76			仕切弁 φ370*5	(0.11) 0.55		
⑤三斜求積			9.09			空気弁 φ520*1	0.21		
						量水器 φ660*1	0.34		
合計	m 0.00	m2 51.85				m2 1.10	舗装合計(控除済) 50.75		

鋪裝版切断工数量計算書

[illegible]

区画線工数量計算書

[illegible]

付帯工数量計算書

[illegible]

数量総括表

[illegible]

舗装工計算書

測点 (路線5)	単距離	表層工 再生密粒度ASC				控除面積 マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
三斜求積			21.85			空気弁 φ 520*1	0.21		
小計	m 0.00		m2 21.85			m2 0.21		舗装合計（控除済） 21.64	

[illegible]