

1号箇所 後屋町 单独

[illegible]

2号箇所 古上条町 单独

断面位置		距離	表層工(再生密粒As t=5cm)㎡		不陸整正工 (t=3cm) ㎡		舗装版破碎 (As) t=5cm		摘 要		
自	B. P2		4.50		4.50		4.50		○ 舗装版切断 (As)	=	8.3 m
至	+0.4	0.40	4.00	1.7	4.00	1.7	4.00	1.7			
自	+0.4		4.00		4.00		4.00		○ 舗装版切断 (Co)	=	
至	No. 1	19.60	3.85	76.9	3.85	76.9	3.85	76.9			
自	No. 1		3.85		3.85		3.85		○ アスカーフ設置	=	
至	E. P2 (No. 1+4.5)	4.50	3.85	17.3	3.85	17.3	3.85	17.3			
自									○ ガラ処理	=	4.8 m³
自											
自									○ 区画線	=	
自											
自									・ 外側線	=	
自											
自									・ センターライン	=	
自											
自									・	=	
自											
自									・	=	
自											
自									計		0.0 m
自											
自									○ 鉄蓋調整 (φ 700)		箇所
自											
自									(φ 450)		箇所
自											
自									○ マンホール等控除	* = 0.00	
自											
自									0.38*0.38*3.14/4	* = 0.00	
自											
自									0.8*0.8*3.14/4	* = 0.00	
自											
自									0.7*0.7*3.14/4	* = 0.00	
自											
自									0.52*0.52*3.14/4	* = 0.00	
自											
自									0.6*0.6	* = 0.00	
自											
自									計		0.0 m²
自											
自									○ オートレイ控除	=	m²
自											
自									○ 現況Co舗装控除	=	m²
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											
自											

舗装数量総括表

路線	延長	切削オーバーレイ工	表層工	不陸整正工	舗装版直接掘削積込 (㎡)		ガラ処理 (㎡)	舗装版切断工 (㎡)			区画線工 (m)					備考
			t=5cm	t=3cm	20cm以下	15cm以下	As	As3cm	As5cm	外側線	センターライン					
1号箇所	169.3	1094					54.7		175.5	324.6	169.0					
2号箇所	24.5		95	95			4.8		8.3							
計		1094.0	95.0	95.0		95.0	59.5		183.8	324.6	169.0					
改め		1090.0	95.0	95.0		95.0	59.0		183.0	324.0	169.0					