

## 舗装工一覽表

[illegible]

# 鋪装工面積計算書

種別：石張り舗装工

測 点	単 距 離	路 盤					基 層 ( 1 層 目 )					基 層 ( 2 層 目 )				
		再生クラッシュラン(RC-40) t=15cm					再生粗粒度アスコン(20) t=4cm					再生粗粒度アスコン(20) t=4cm				
		左 側	右 側	舗装幅	平 均 幅	面 積	左 側	右 側	舗装幅	平 均 幅	面 積	左 側	右 側	舗装幅	平 均 幅	面 積
		W1(m)	W2(m)	W1+W2	W(m)	A(m2)	W1(m)	W2(m)	W1+W2	W(m)	A(m2)	W1(m)	W2(m)	W1+W2	W(m)	A(m2)
BP(NO.0)	0.000	2.58	2.58	5.16	---	---	2.58	2.58	5.16	---	---	2.58	2.58	5.16	---	---
NO.0+10.00	10.000	2.58	2.58	5.16	5.16	51.6	2.58	2.58	5.16	5.16	51.6	2.58	2.58	5.16	5.16	51.6
NO.0+18.33	8.330	2.58	2.58	5.16	5.16	43.0	2.58	2.58	5.16	5.16	43.0	2.58	2.58	5.16	5.16	43.0
NO.0+18.33	0.000	2.58	1.68	4.26	---	---	2.58	1.68	4.26	---	---	2.58	1.68	4.26	---	---
NO.1	1.670	2.58	1.72	4.30	4.28	7.2	2.58	1.72	4.30	4.28	7.2	2.58	1.72	4.30	4.28	7.2
NO.1+10.00	10.000	2.58	2.01	4.59	4.45	44.5	2.58	1.91	4.49	4.40	44.0	2.58	1.91	4.49	4.40	44.0
NO.1+15.23	5.230	2.58	2.13	4.71	4.65	24.3	2.58	2.03	4.61	4.55	23.8	2.58	2.03	4.61	4.55	23.8
NO.1+15.23	0.000	2.58	2.58	5.16	---	---	2.58	2.58	5.16	---	---	2.58	2.58	5.16	---	---
NO.2	4.770	2.58	2.58	5.16	5.16	24.6	2.58	2.58	5.16	5.16	24.6	2.58	2.58	5.16	5.16	24.6
IP.1	12.400	2.58	2.58	5.16	5.16	64.0	2.58	2.58	5.16	5.16	64.0	2.58	2.58	5.16	5.16	64.0
NO.3	7.600	2.58	2.58	5.16	5.16	39.2	2.58	2.58	5.16	5.16	39.2	2.58	2.58	5.16	5.16	39.2
EP(NO.3+3.64)	3.640	2.58	2.58	5.16	5.16	18.8	2.58	2.58	5.16	5.16	18.8	2.58	2.58	5.16	5.16	18.8
合計	63.640	317.1					316.1					316.1				

舗装工面積計算書

種別：石張り舗装工

測 点	単 距 離	表 層 ( 自 然 石 )					表 層 ( 自 然 石 )									
		御影石 (300×600) 錆 t=3cm					御影石 (300×600) 白 t=3cm									
		左 側	右 側	舗装幅	平均幅	面 積	左 側	右 側	舗装幅	平均幅	面 積					
	(m)	W1 (m)	W2 (m)	W1+W2	W (m)	A (m2)	W1 (m)	W2 (m)	W1+W2	W (m)	A (m2)					
BP (NO. 0)	0.000	2.00	2.00	4.00	---	---	0.84	0.84	1.68	---	---					
NO. 0+10.00	10.000	2.00	2.00	4.00	4.00	40.0	0.84	0.84	1.68	1.68	16.8					
No.0+18.33	8.330	2.00	2.00	4.00	4.00	33.3	0.84	0.84	1.68	1.68	14.0					
No.0+18.33	0.000	2.00	1.68	3.68	---	---	0.84	0.00	0.84	---	---					
NO. 1	1.670	2.00	1.72	3.72	3.70	6.2	0.84	0.00	0.84	0.84	1.4					
NO. 1+10.00	10.000	2.00	1.91	3.91	3.82	38.2	0.84	0.00	0.84	0.84	8.4					
NO. 1+15.23	5.230	2.00	2.00	4.00	3.96	20.7	0.84	0.03	0.87	0.86	4.5					
NO. 1+15.23	0.000	2.00	2.00	4.00		---	0.84	0.84	1.68	---	---					
NO. 2	4.770	2.00	2.00	4.00	4.00	19.1	0.84	0.84	1.68	1.68	8.0					
IP. 1	12.400	2.00	2.00	4.00	4.00	49.6	0.84	0.84	1.68	1.68	20.8					
NO. 3	7.600	2.00	2.00	4.00	4.00	30.4	0.84	0.84	1.68	1.68	12.8					
EP (NO. 3+3.64)	3.640	2.00	2.00	4.00	4.00	14.6	0.84	0.84	1.68	1.68	6.1					
視覚障害者誘導用ブロック控除	線状ブロック	L=62.985m×W=0.30m				-18.9										
	点状ブロック	18枚×0.30m×0.30m				-1.6										
	グレーチング控除						(0.845*0.325*15箇所)				-4.12					
合計	63.640	231.5					88.7									