

# 数量総括表

工 事 名	(路4-7)路面復旧工事				事 業 区 分			
					工 事 区 分			
工事区分(1)	工種(2)	種別(3)	細 別 (4)	規 格 (5)	単位	実施数量	計上数量	摘 要
舗装								
舗装工								
舗装準備工								
不陸整正				補足材M-30 t=3cm 平均幅員1.4m≦W≦3.0m	m2	228.53	229	
不陸整正				補足材M-30 t=3cm 平均幅員W>3.0m	m2	1124.99	1120	
アスファルト舗装工(車道部)								
表層(車道・路肩部)				再生密粒度As(13) t=5cm 平均幅員1.4m≦W≦3.0m	m2	228.53	229	
表層(車道・路肩部)				再生密粒度As(13) t=5cm 平均幅員W>3.0m	m2	1124.99	1120	
区画線工								
区画線工								
溶融式区画線				実線 白 W=15cm	m	13.8	14	
溶融式区画線				実線 黄 W=15cm	m	5.6	6	
溶融式区画線				ゼブラ 白 W=45cm	m	18.4	18	
溶融式区画線				文字等 白 15cm換算	m	41.4	41	
構造物撤去工								
構造物取壊し工								
舗装版切断				As舗装版 t≦15cm	m	33.3	33	
舗装版破碎				As舗装版 t≦15cm	m2	1353.52	1350	228.53 + 1124.99
運搬処理工								
殻運搬				As舗装版殻	m3	67.7	68	1353.52 * 0.05
濁水運搬				As舗装版濁水	式	1.0	1	
殻処分				As舗装版殻	m3	67.7	68	
濁水処分				As舗装版濁水	m3	0.038	0.04	
付帯工								
付帯工								
付帯工					式			
基準点設置工				金属鈹	点	2	2	
仮設工								
交通管理工								
交通誘導警備員					式	1.0	1	

# 舗装工計算書

測 点	単距離	表層工 1.4m≦W≦3.0m 再生密粒度ASC t=5cm		控除面積 マンホール等					
		(m)	巾(m)	面積(m2)		名称	(1箇所) 面積(m2)		
BP	0.00	2.84				仕切弁 φ370	0.11		
NO. 1	20.00	2.88	57.20			下水マンホール φ700*2	(0.38) 0.76		
NO. 2	20.00	2.88	57.60						
NO. 3	20.00	2.85	57.30						
NO. 4	20.00	2.88	57.30						
小計			229.40				0.87	舗装合計（控除済）	
合計			229.40				0.87	228.53	

# 舗装工計算書

測 点	単距離	表層工 W>3.0m 再生密粒度ASC t=5cm		控除面積 マンホール等					
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
三斜求積01			66.84			仕切弁 φ370*13	(0.11) 1.43		
三斜求積02			32.31			仕切弁 φ230	0.04		
三斜求積03			35.53			止水栓 φ160*3	(0.02) 0.06		
三斜求積04			27.96			消火栓 φ520*2	(0.21) 0.42		
NO. 5	0.00	3.81	0.00			下水マンホール φ700*9	(0.38) 3.42		
+3.10	3.10	3.89	11.94			下水マンホール φ980	0.75		
+4.25	1.15	0.00	2.24			下水マンホール φ420	0.14		
						格納箱基礎 600*430	0.26		
+3.76	0.00	0.00	0.00						
+5.02	1.26	3.41	2.15						
NO. 6	14.98	3.76	53.70						
+8.47	8.47	3.59	31.13						
+8.47	0.00	3.49	0.00						
NO. 7	11.53	3.36	39.49						
+13.74	13.74	3.39	46.37						
NO. 8	6.26	3.36	21.13						
NO. 9	20.00	3.31	66.70						
+0.29	0.29	3.31	0.96						
+0.29	0.00	3.56	0.00						
+12.73	12.44	3.63	44.72						
NO. 10	7.27	3.67	26.54						
+1.01	1.01	3.89	3.82						
三斜求積05			36.52						
三斜求積06			26.91						
三斜求積07			65.73						
小計			642.69				6.52		

# 舗装工計算書

測 点	単距離	表層工 W>3.0m 再生密粒度ASC t=5cm				控除面積 マンホール等			
	(m)	巾(m)	面積(m2)			名称	(1箇所) 面積(m2)		
NO. 11	0.00	4.32							
+0.71	0.71	4.31	3.06						
+1.66	0.95	4.20	4.04						
NO. 12	18.34	4.20	77.03						
+6.16	6.16	4.10	25.56						
NO. 13	13.84	4.31	58.20						
NO. 14	20.00	4.30	86.10						
三斜求積08			46.45						
三斜求積09			51.94						
三斜求積10			21.85						
三斜求積11			18.42						
NO. 15	0.00	4.31							
+3.69	3.69	4.34	15.96						
+9.23	5.54	4.36	24.10						
+9.23	0.00	4.19	0.00						
NO. 16	10.77	4.16	44.96						
+1.09	1.09	4.17	4.54						
+4.26	3.17	0.00	6.61						
小計			488.82				0.00	舗装合計（控除済）	
合計			1131.51				6.52	1124.99	

# 舗装版切断工数量計算書

[illegible]

## 区画線工数量計算書

[illegible]

## 付帯工数量計算書

[illegible]