

数量総括表

集 計 飯田一丁目 塩部二丁目	改良土掘削(側溝布設)	構造物とりこわし(無筋)	21.6	m ³
	埋戻工(上層路盤)	M40-0 t=20cm	3.9	m ³
	埋戻工(下層路盤)	RC40-0 t=25cm	3.8	m ³
	埋戻工(路盤下埋戻)	RC40-0	1.7	m ³
	舗装版切断	t=15cm	195.4	m
	舗装版破碎	t=15cm	41.9	m ²
	舗装殻処分	t=15cm(車道部舗装打替えに伴う殻含む)	9.0	m ³
	敷鉄板撤去	延長97.0m*幅0.5m	48.5	m ²
	可変勾配側溝	可変勾配側溝300*300	82.0	m
	可変勾配側溝	可変勾配側溝300*800	5.0	m
	可変勾配側溝	可変勾配側溝300*1000	10.0	m
	可変勾配側溝用集水桝	400*600*1200	1.0	基
	底張りコンクリート	18-8-25	2.0	m ³
	不陸整正	補足材 t=4cm M40-0	29.3	m ²
	表層	密粒As t=5cm	48.9	m ²
	瀝青安定処理	t=10cm	48.9	m ²
	仮復旧	密粒As t=5cm	19.5	m ²
	仮路盤	M40-0 t=10cm	2.0	m ³
	区画線	外側線 白 W=15cm	6.0	m
	既設側溝取壊し	無筋構造物	12.0	m ³
	Co殻処分	無筋構造物	33.6	m ³
	水位観測機器配線補修工		1.0	式
	車道部舗装打替工	9m ² ×2箇所(表層5cm瀝青10cm 有孔管設置含む)	1.0	式
	改良土掘削(有孔管設置)		1.4	m ³
	埋戻工(有孔管)	RC40-0	1.1	m ³

側溝改良工事（R 6－6）1号箇所																									
計										算書															
測点	距離	掘削工		埋戻(粒調碎石)		埋戻(RC路盤)		埋戻(RC埋戻し)		舗装版破碎(t=15cm)		不陸整正工		表層(密粒As t=5cm)		瀝青安定処理(t=10cm)		仮復旧(密粒As t=5cm)		仮路盤(粒調碎石)		底張コンクリート		備考	
		面積	立積	面積	立積	面積	立積	面積	立積	幅員	面積	幅員	面積	幅員	面積	幅員	面積	幅員	面積	面積	立積	厚	立積		
B.P		0.23		0.04		0.037				0.42		0.30		0.50		0.50		0.20		0.02		0.050		自由勾配側溝300*300	
B.P + 10.0	10.00	0.23	2.300	0.04	0.400	0.037	0.370			0.42	4.200	0.30	3.000	0.50	5.000	0.50	5.000	0.20	2.000	0.02	0.200	0.050	0.15		
B.P + 10.0		0.23		0.04		0.037				0.42		0.30		0.50		0.50		0.20		0.02		0.050		自由勾配側溝300*300	
NO.1	10.00	0.23	2.300	0.04	0.400	0.037	0.370			0.42	4.200	0.30	3.000	0.50	5.000	0.50	5.000	0.20	2.000	0.02	0.200	0.050	0.15		
NO.1		0.23		0.04		0.037				0.42		0.30		0.50		0.50		0.20		0.02		0.050		自由勾配側溝300*300	
E.P	8.00	0.23	1.840	0.04	0.320	0.037	0.296			0.42	3.360	0.30	2.400	0.50	4.000	0.50	4.000	0.20	1.600	0.02	0.160	0.050	0.12		
計	28.0		6.4		1.1		1.0				11.8		8.4		14.0		14.0		5.6		0.6		0.4		

計 算 書																										
側溝改良工事（R 6－6）2号箇所																										
測 点	距 離	掘削工		埋戻(粒調碎石)		埋戻(RC路盤)		埋戻(RC埋戻し)		舗装版破砕(t=15cm)		不陸整正工		表層(密粒As t=5cm)		瀝青安定処理(t=10cm)		仮復旧(密粒As t=5cm)		仮路盤(粒調碎石)		底張コンクリート		備 考		
		面積	立積	面積	立積	面積	立積	面積	立積	幅員	面積	幅員	面積	幅員	面積	幅員	面積	幅員	面積	面積	立積	厚	立積			
B. P		0. 42		0. 04		0. 050		0. 117		0. 47		0. 30		0. 50		0. 50		0. 20		0. 02		0. 075			自由勾配側溝300*1000	
B. P + 10. 0	10. 00	0. 42	4. 200	0. 04	0. 400	0. 050	0. 500	0. 117	1. 170	0. 47	4. 700	0. 30	3. 000	0. 50	5. 000	0. 50	5. 000	0. 20	2. 000	0. 02	0. 200	0. 310	0. 58			
B. P + 10. 0		0. 27		0. 04		0. 050		0. 077		0. 45		0. 30		0. 50		0. 50		0. 20		0. 02		0. 110			自由勾配側溝300*800	
E. P	5. 00	0. 27	1. 350	0. 04	0. 200	0. 050	0. 250	0. 077	0. 385	0. 45	2. 250	0. 30	1. 500	0. 50	2. 500	0. 50	2. 500	0. 20	1. 000	0. 02	0. 100	0. 165	0. 21			

[illegible]

濁水污泥处理数量

		单独
舗装 (As)	15 c m	195. 4

单独
15cm (As)

0. 023

×

0. 15

×

195. 4

=

0. 674 m³

計

0. 67 m³

計

0. 67 m³